


霊山町小国 ふれあいセンター周辺 (Aエリア)



0.39 μ Sv/h (1m)
0.5 μ Sv/h (1cm)



0.5 μ Sv/h (1m)



0.5 μ Sv/h (1m)
0.6 μ Sv/h (1cm)

1.22 μ Sv/h (1m)
1.26 μ Sv/h (1cm)
土壤: 11,200Bq/Kg



霊山町小国 小国小学校周辺(Aエリア)



歩道上
0.6 μ Sv/h(1m)
0.38 μ Sv/h(1cm)

0.78 μ Sv/h(1m)
1.25 μ Sv/h(1cm)

1.63 μ Sv/h(1m)
4.0 μ Sv/h(1cm)
土壌: 89,000Bq/Kg



0.42 μ Sv/h(1m)
0.44 μ Sv/h(1cm)



保原町富成 とみなり幼稚園、小学校、公民館周辺(Aエリア)



0.53 μ Sv/h (1m)
1.42 μ Sv/h (1cm)
土壌: 94,400Bq/Kg



幼稚園・小学校裏除染済みの山際
0.51 μ Sv/h (1m)、0.45 μ Sv/h (1cm)



0.6 μ Sv/h (1m)
1.29 μ Sv/h (1cm)

公民館駐車場下
1.11 μ Sv/h (1m)
1.52 μ Sv/h (1cm)
土壌: 73,000Bq/Kg

保原町柱沢 紅屋峠、柱沢小学校 (Aエリア)



0.96 μ Sv/h (1m)
1.13 μ Sv/h (1cm)
土壌: 20,100Bq/Kg



公園山頂東屋
1.06 μ Sv/h (1m)
1.32 μ Sv/h (1cm)
わらび: 146Bq/Kg

未熟柿: 18.1Bq/Kg
未熟桃: 16.0Bq/Kg



柱沢小学校
0.36 μ Sv/h (1m)
1.25 μ Sv/h (1cm)
土壌: 2,480Bq/Kg